

DECLARATION OF PERFORMANCE
Nr 01-01-S/2019/EN



1. Unique identification code of the product type: Regulation Council of Europe nr 305/2011 Appendix IV listing 6: Chimneys, chimney flues.

Double-wall acid-proof insulated chimney system type JAWAR SMOOTH working in underpressure

2. Serial number, batch or type: Diameter series of chimney system **JAWAR SMOOTH**

Inner diameter DN [mm]	120	150	180	200
Outer diameter DZ [mm]	225	250	280	300

3. Usage of the construction product:

Acid-proof insulated chimney systems type JAWAR SMOOTH

¥ used as chimney designed to prevent wet and dry funes from heating devices heated by gas oil and wood.

4. Name, reserved trade name, trademark and adress of producer:

Acid-proof insulated chimney systems type JAWAR SMOOTH



JAWAR Spółkaz o. o.
06-400 Ciechanów, ul. Sońska 8
06-450 Głinojeck, Zygmuntowo 1c

5. Name and adress of authorized representative: n/a
6. Evaluation system and validation stability of utility of a construction: 2+
7. Name and number of notified unit, name and number of certificate:

Technický a zkušební ústav stavební Praha, s.p.
(Technical and Test Institute for Construction Prague)
Notified Body UE nr 1020

Certificate number: 1020-CPR-030044301

8. Declared properties:

Lp.	Basic characteristic	PN-EN 1856-1:2009	
1.	Maximum Working Temperature	600°C	
2.	Pressure class	N1	
3.	Resistance for condensate action	W	
4.	Resistance for corrosion	Vm	
5.	Material type of system	Inner coating	50 (1.4404)
		Outter coatung	20 (1.4301)
6.	Liner wall thickness	0,5 do 1,0	
7.	Resistance for soorfire	G	
8.	Distance to burnable materials	50 mm	
9.	Type of fuels	Gas, oil, wood	
10.	Chimney operating mode	underpressure	
11.	Average chimney height	15 mb	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 4.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

10. First marking with the CE sign: 2019,-

Signed for and on behalf of the manufacturer by:

Ciechanów 20-07-2019.

Pełnomocnik ds. ZKP

Orowka

dr. Paweł Jarzyński
Prezes Zarządu Jawar Sp. o.o.